

Notice of Allowability

Application No.	Applicant(s)	
09/710,903	STEMMER ET AL	
Examiner	Art Unit	
Peng Ke	2174	

The MAILING DATE of this communication appears on the cover sheet with the correspondence address--
All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- ☒ This communication is responsive to 4/28/05.
- ☒ The allowed claim(s) is/are 1-3.
- ☒ The drawings filed on 14 November 2000 are accepted by the Examiner.
- ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - ☐ All
 - ☐ Some*
 - ☐ Noneof the:
 - ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).


* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

- ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted:
 - ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
- ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|---|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____ |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____ |


EXAMINER

Allowable Subject Matter

Based on the decision of the Board of Patent Appeals, Claims 1-3 are allowed.

The prior art fails to disclose or teach “displaying a display presentation at a user interface for a magnetic resonance apparatus containing a first parameter in a protocol for operating the magnetic resonance apparatus to obtain magnetic resonance data and a second parameter in said protocol for operating the magnetic resonance apparatus;

In said display presentation, showing a range of values for said first parameter including designating first sub-range within said range wherein selection of a value does not modify said second parameter, and a second sub-range within said range wherein selection of a value causes modification of said second parameter” in combination with the other claim limitations of the succeeding claims.


Art Unit: 2174

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peng Ke whose telephone number is (571) 272-4062. The examiner can normally be reached on M-Th and Alternate Fridays 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kristine L. Kincaid can be reached on (571) 272-4063. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Peng Ke

A handwritten signature in black ink, appearing to be 'Peng Ke', with a long horizontal stroke extending to the right.



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RESPONSE TO NOTICE REGARDING DRAWINGS

APPLICANTS: Stemmer et al. CONFIRMATION NO. 6144
SERIAL NO.: 09/710,903 GROUP ART UNIT: 2174
FILED: November 14, 2000 EXAMINER: Peng Ke
TITLE: "METHOD FOR ALTERING A PROTOCOL IN A MAGNETIC
RESONANCE APPARATUS"

Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

S I R:

In the Notice Regarding Drawings dated December 16, 2005, it was stated that in Figures 7, 8 and 9 as originally filed, the lines, numbers and letters were not uniformly thick and well defined, and the numbers and reference characters were not plain and legible. Revised versions of Figures 7, 8 and 9 wherein these informalities have been corrected are submitted herewith. No other change has been made in any of Figures 7, 8 or 9.

Submitted by,

Steven H. Noll (Reg. 28,982)

Schiff, Hardin LLP
CUSTOMER NO. 26574
Patent Department
6600 Sears Tower
233 South Wacker Drive
Chicago, Illinois 60606
Telephone: 312/258-5790
Attorneys for Applicant(s).

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450 on February 16, 2006.

Steven H. Noll

STEVEN H. NOLL